



The First in Synthetics®

Product Catalog

The Leader in Automotive & Diesel Performance Products



**Synthetic Motor Oils
Synthetic Drivetrain Lubes
Oil & Air Filters
Fuel Additives
Appearance Products**

Photo courtesy of General Motors.





TEST PROVEN!
Reduces Fuel Consumption

Series 2000 Synthetic Motor Oil

Formulated like no other motor oils in the world. Race-proven performance for passenger car engines. Special synthetic base stock blends and advanced additive packages provide up to twice the wear protection of other motor oils. Reduces friction for quicker engine response and increased horsepower. Improves fuel efficiency.

Series 2000 Synthetic Racing Oil

- SAE 20W-50 • API Service SH, SJ, SL, CF

Series 2000 Synthetic Motor Oil

- SAE 0W-30 • API Service SH, SJ, SL, CF • ILSAC GF-1, GF-2, GF-3

SAE 60 Synthetic Super Heavy Weight Racing Oil

High viscosity oil designed for high horsepower racing engines. Resists thinning effects of fuel dilution and provides unsurpassed wear protection, friction reduction and more power. Highly resistant to thermal degradation and oxidation.

AMSOIL SAE 60 Synthetic Super Heavy Weight Racing Oil

- SAE 60 • API Service SH, SJ, SL, CF • JASO MB

Synthetic Motorcycle Oils

Recommended for all V-Twin and other motorcycle engines requiring an API CD, SG-CG or SH-CD oil. Wet clutch compatible. Superior 12+ TBN Synthetic formulation provides long service life and maximum protection against engine wear. Runs cooler – reduces crankcase temperature. Superior anti-wear and detergent/dispersant packages. No friction modifiers.

SAE 10W-40 and SAE 20W-50 Synthetic Motorcycle Oil

- API Service CD, SG-CG, SH-CD, SH-CF, CI-4 • JASO MA

Series 3000 Synthetic Heavy Duty Diesel Oil

Fuel efficient formula for both gasoline and diesel fleets. Delivers up to 82 percent greater wear protection than other popular diesel oils. Series 3000 resists oil breakdown from heat, blow-by chemicals and oxygen up to ten times longer than conventional oils.

AMSOIL Series 3000 Synthetic Heavy Duty Diesel Motor Oil

- SAE 5W-30 • API Service CI-4, CH-4, CG-4, CF, CF-2, SJ, SL

Synthetic Motor Oil

Dramatically outperforms conventional petroleum motor oils. Reduces friction, heat and wear for maximum power, performance and fuel efficiency. Resists high temperature burn-off, chemical breakdown and sludging to keep engines cleaner. Outstanding low temperature fluidity for fast, dependable winter starts and immediate start-up protection. Up to 25,000-mile or 1-year drain intervals.

Synthetic SAE 5W-30 Motor Oil

Synthetic SAE 10W-30 Motor Oil

- API Service SH, SJ, SL, CF • ILSAC GF-1, GF-2, GF-3

Synthetic SAE 10W-40 Motor Oil

Synthetic SAE 20W-50 Motor Oil

- API Service SH, SJ, SL, CF, CI-4, CH-4

Synthetic XL-7500 Motor Oil

AMSOIL Synthetic XL-7500 5W-30, 5W-20, 10W-30 and 10W-40 motor oils are specially formulated to deliver 7500 miles or six months of service between oil changes. These oils provide outstanding wear protection and increased power, performance and fuel economy in high and low temperatures.

Synthetic XL-7500 SAE 5W-30 Motor Oil

Synthetic XL-7500 SAE 5W-20 Motor Oil

Synthetic XL-7500 SAE 10W-30 Motor Oil

- API Service SJ, SL, CF, ILSAC GF-2, GF-3

Synthetic XL-7500 SAE 10W-40 Motor Oil

- API Service SJ, SL, CF

Synthetic 5W-40 European Engine Oil

Specially formulated for the lubrication needs of European gasoline and diesel cars and light trucks. Blended with advanced Polyalphaolefin (PAO) synthetic base stocks, premium additives and a broad 5W-40 viscosity rating, allowing motorists to take advantage of the maximum extended drain intervals recommended by European automakers while providing second-to-none protection and performance.

AMSOIL Synthetic 5W-40 European Engine Oil is recommended for all domestic and foreign gasoline and diesel engines specifying any of the following:

API SL, CI-4, CF • ACEA A3, B3, B4 • BMW LL-01/98 • Daimler Chrysler 229.3, 229.4, 229.5 • Opel Long Life Service Fill GM-LL-A-025 • Opel Diesel Service Fill GM-LL-B-025 • Porsche • Volvo • Saab • Volkswagen 502.00, 505.00, 503.01

Synthetic Diesel Oil

Outstanding diesel engine protection. Specifically blended long-life formulation resists oxidation and thermal breakdown. Retains viscosity and reduces sludge and varnish formation. Outstanding lubricity provides unbeatable wear protection and maximum fuel efficiency. Twelve TBN formula fights corrosion. Contains special performance additives for acid and soot control. Extended drain capability reduces downtime and motor oil expenses.

Synthetic SAE 15W-40 Heavy Duty Diesel and Marine Motor Oil

Synthetic Blend SAE 15W-40 Diesel Motor Oil

Synthetic SAE 30 Diesel Motor Oil

- API Service CI-4, CH-4, CG-4, CF, CF-2, SH, SJ, SL





Synthetic Gear Lube

Outperforms conventional petroleum gear lubes. Reduces friction for improved fuel efficiency. Gears run cooler and last longer. Stays fluid for easy cold weather shifting. Excellent for use in passenger cars and trucks requiring an EP gear lube, including those with limited-slip differentials.

Series 2000 Synthetic Gear Lube

SAE 75W-90 • GL-2 through GL-5, MT-1

Synthetic Gear Lube

SAE 75W-90 • GL-2 through GL-5, MT-1

Synthetic Gear Lube

SAE 80W-90 • GL-2 through GL-5, MT-1

Series 2000 Synthetic Gear Lube

SAE 75W-140 • GL-5, MT-1

Synthetic Gear Lube

SAE 85W-140 • GL-2 through GL-5, MT-1

Synthetic Gear Lube

SAE 80W-90 • GL-4, MT-1

Slip-Lock Differential Additive

Eliminates gear-housing chatter in cars, trucks and SUVs equipped with limited-slip, positraction and locking differentials. Reduces banging and clunking associated with automatic locking differentials. Formulated for use with both synthetic and petroleum gear lubricants and safely replaces manufacturer-recommended friction modifiers. One bottle treats differential capacities of two to four quarts.

100% Synthetic Universal Automatic Transmission Fluid

Exceeds the performance requirements for domestic and foreign automatic transmission fluids. Provides automatic transmissions, power steering units and hydraulic equipment with excellent lubricating protection and better performance over a wider temperature range. Resists oxidation and thermal breakdown. Provides low temperature protection. Formulated with excellent wear protection to last for extended drain intervals.

AMSOIL ATF is formulated to meet or exceed the following performance specifications:

GM; DEXRON II, DEXRON III • Ford; Mercon, Mercon V • Chrysler; ATF+ thru ATF+4 • Allison; C-3, C-4 • Caterpillar; TO-2, TO-3 • Voith Commercial; Opel & GM Strasbourg • Toyota Type T, T-IV • Honda Z-1

Use where ATF is recommended in Mobile or Stationary Hydraulic and Power Steering units.

Torque-Drive™ Synthetic Automatic Transmission Fluid

Engineered to eliminate the deficiencies common to all conventional petroleum ATFs. Provides superior performance and protection against thermal and oxidative degradation, sludge and varnish formation, viscosity shear down, cold temperature oil thickening, poor friction stability, high component wear and shortened oil life.

Recommended for use in applications specifying

Allison® TES-295 or C-4, Dexron® III, Mercon®, TE-ML 14C

Supershift Racing Transmission Fluid

Specially formulated for high horsepower and torque conditions. Provides quick, solid shifts. Automatic transmissions do not slip, helping racers improve on elapsed times. Delivers unmatched friction reduction and reduced wear so clutch plates and transmissions last longer. Provides maximum torque transfer and brake power while resisting oxidation and thermal breakdown.

Supershift Racing Transmission Fluid • SAE 10W

INTERCEPTOR Synthetic 2-Cycle Oil

INTERCEPTOR Synthetic 2-Cycle Oil (AIT) is engineered specially for power sports applications and those engines equipped with exhaust power valves. It contains the finest synthetic ester base oils and additives available for exceptional cleanliness properties. INTERCEPTOR is the result of years of field testing in the Rocky Mountain region, which provided some of the most severe conditions possible. INTERCEPTOR excels at controlling exhaust valve sticking and provides outstanding overall lubrication properties.

INTERCEPTOR Synthetic 2-Cycle Oil • API TC, JASO FC

Saber Professional and Outboard Synthetic 100:1 Pre-Mix 2-Cycle Oils

Saber Professional (ATP) and Saber Outboard (ATO) Synthetic 2-Cycle Oils are specifically designed for lean mix ratios in pre-mix applications. Saber Professional contains high temperature detergents for small power equipment. Saber Outboard contains lower temperature dispersants for water-cooled outboard motors. Extensive testing shows superior lubricity and cleanliness properties at lean mix ratios of these premium synthetic formulations.

Saber Professional Synthetic 2-Cycle Oil • ISO-L-EGD, JASO FC, API TC

Saber Outboard Synthetic 2-Cycle Oil • TC-W3, API TC

DOMINATOR Synthetic 2-Cycle Racing Oil

DOMINATOR Synthetic 2-Cycle Racing Oil (TDR) is a robust formulation specially engineered for unsurpassed protection in high performance two-cycle motors, both on and off the track. It contains heavier synthetic base oils that provide more lubricity for “on the edge” operation. DOMINATOR reduces friction and protects pistons and bearings subjected to the rigors of racing. DOMINATOR contains the right additives for clean motor operation.

DOMINATOR Synthetic 2-Cycle Racing Oil • API TC, JASO FC

HP Injector Synthetic 2-Cycle Oil

HP Injector Synthetic 2-Cycle Oil (HPI) is a precise synthetic formulation that exceeds the lubrication demands of modern two-cycle engines. It contains premium synthetic base oils and MAX-DOSE additive system, providing superior performance in direct fuel injected (DFI), electronic fuel injected (EFI) and carbureted outboard motors, as well as other recreational two-cycle equipment.

HP Injector Synthetic 2-Cycle Oil • TC-W3, API TC

AMSOIL 2-Cycle Oil Recommendations

AMSOIL 2-Cycle Oil	Outboard*	Snowmobile*, Motorcycle* & ATV*	Personal Watercraft* & Jet Boat*	Chain Saw, Chop Saw & Pump	Weed Eater, Blower & Lawn Mower	Moped, Scooter & Go-Cart
INTERCEPTOR (AIT) API TC, JASO FC	Not Recommended	Excellent	Excellent	Good	Good	Good
Saber Professional 100:1 Pre-Mix (ATP) ISO-L-EGD, JASO FC, API TC	Not Recommended	Very Good Pre-Mix Only	Very Good Pre-Mix Only	Excellent	Excellent	Excellent
Saber Outboard 100:1 Pre-Mix (ATO) TC-W3, API TC	Excellent Pre-Mix Only	Very Good Pre-Mix Only	Very Good Pre-Mix Only	Not Recommended	Not Recommended	Not Recommended
DOMINATOR (TDR) API TC, JASO FC	Racing (1)	Racing (2)	Racing (2)	Very Good	Very Good	Very Good
HP Injector (HPI) TC-W3, API TC (Injection or 50:1 Pre-Mix)	Excellent	Very Good	Very Good	Not Recommended	Not Recommended	Not Recommended

Equipment manufacturers and motor builders have redesigned two-cycle motors to reduce emissions and increase fuel economy. These changes have increased operating temperatures, reduced oil consumption and incorporated direct fuel injection and exhaust power valves. AMSOIL 2-Cycle Oils are designed to maximize performance in all types of engine designs and are optimized for select applications.

Even though AMSOIL 2-Cycle Oils have been optimized for specific applications, they are multi-functional and recommended for use in many areas. The chart rates each oil's performance abilities per application as follows:

Excellent: The primary recommendation for the oil. The oil is specifically designed for the operating conditions of the motors in these markets. There is only one "Excellent" recommendation per category.

Very Good: A main recommendation for the oil. Identifies an oil that is very good for the operating conditions of these motors.

Good: A secondary recommendation for an oil. The oil was not specifically designed for these applications. However, the chemistry in the oil is suited to the operating conditions of these motors.

Not Recommended: Identifies applications where the product was not intended for use.

Racing:

- (1) Not recommended for long-term use in outboard motors as a TC-W3 type oil, although excellent as a race oil for short term use where motors are periodically inspected.
- (2) Excellent for racing or modified motors. Very good for recreational use.

*Recommended for all direct fuel injected (DFI), electronic fuel injected (EFI) and carbureted motors. Outboard motors include Mercury® Optimax® Johnson® & Evinrude® FICHT® & E-TEC®, Yamaha® HPDI, Nissan® & Tohatsu® TLDI®.





Synthetic 4-Stroke Oil

Specially formulated to provide serious protection and performance in recreational four-stroke motors, including ATV's, outboard motors, snowmobiles and motorcycles. Broad 0W-40 viscosity rating provides superior protection in both hot and cold temperature extremes. Provides superior shear stability and resistance to vaporization so engine wear, oil consumption, friction, heat and emissions are kept to an absolute minimum.

AMSOIL Formula 4-Stroke Synthetic Motor Oil

• SAE 0W-40 • API Service SJ, SH, SG, SF, CD, CF • JASO MA

Shock Therapy Suspension Fluid

Formulated for maximum stability and performance in high performance applications. Effectively controls friction and heat and significantly reduces wear and scuffing. Viscosity remains constant and foam and aeration are kept to a minimum, limiting shock fade and inconsistent dampening. Offers superior performance in temperature extremes.

AMSOIL STL is recommended for applications that demand quick rebounds under extreme temperatures.

AMSOIL STM is recommended for applications that require more dampening and slower rebounds.

Air Filter

Provides unsurpassed air filtration performance. Stops and holds more dirt than conventional air filters. Allows up to twice the air flow than paper air filters, improves engine performance and fuel economy. Cleanable and reusable. Designed for years of dependable service.

Foam Filter Oil

Designed specifically for AMSOIL Air Filters. Special "high tack" oil for long term effectiveness. Traps and holds dirt and dust particles.

Pod Air Filter

Designed for small engine applications. Easy installation. Stops more dirt than conventional air filters. Improves engine performance. Cleanable and reusable.

SDF Engine Oil Filter

AMSOIL SDF Filters are composed of a special cellulose, synthetic and glass blend media to provide longer life and improved efficiency. Performance tests demonstrated that AMSOIL SDF Filters provide up to 100 percent more capacity than other leading filters. They also achieve nearly 95 percent operating efficiency, outperforming all major brands. An oil pressure relief valve assures proper oil flow at all times under all operating conditions. Each heavy-duty case has a drawn steel double-crimp at the base with rolled-under seaming. An anti-drain back valve keeps dirty oil in the filter when engine is not running.

SDF Truck Engine Oil Filter

Features the proven effectiveness of cellulose media blended with synthetic media. Extra efficiency and capacity to handle extended drain intervals. Added protection against harmful oil contaminants for equipment operating under extreme conditions.

SMF Motorcycle Oil Filter

Comprised of a high performance cellulose, synthetic and glass blend media for longer life, more capacity and improved filtration efficiency in today's high-stress motorcycle engines.



Hastings Filters

AMSOIL also offers Hastings filters to complement the AMSOIL filter line and meet virtually every transportation and equipment need.

ENGINE FILTRATION PRODUCTS

- Oil • Fuel • Air • Crankcase Breather
- Coolant • Positive Crankcase Ventilation

OTHER FILTRATION PRODUCTS

- Automatic Transmission Fluid • Hydraulic



Spin-On By-Pass Oil Filter

The ultimate in filtration technology. Removes water and wear-causing particles. Keeps oil analytically clean. Extends oil service life. Virtually eliminates engine wear.



Remote Oil Filter Mount

Standard engine oil filter is mounted in a convenient, remote location for quick, easy servicing. Larger oil filter size increases dirt-holding capacity. Increased oil volume for greater cooling and longer service life.



Dual-Remote Oil Filtration Mount


Versatile system combines full-flow and by-pass oil filtration on a single mount. Easy installation. Filters are mounted in a convenient, remote location for quick, spin-on servicing.



Dual-Gard Oil Filtration Mount

Links two AMSOIL By-Pass Filter Elements together for engines with sump capacities over 20 quarts. Allows fast and simple servicing with spin-on elements.





P.I. Performance Improver Gasoline Additive

Dissolves and removes fuel system deposits and other contaminants for improved power and overall performance in gasoline engines. Reduces PVC and EGR system deposits. Reduces exhaust emissions (tests prove up to 90 percent reduction). Improves engine idle, response and starting. Ideal for both fuel injected and carbureted systems. One ounce treats 10 gallons.

P.I. Quick Shot

P.I. Quick Shot is packaged as a convenient, single-use application of P.I. Performance Improver. Empty entire contents into the fuel tank. Each 6-oz. bottle treats 10 to 15 gallons of gasoline.

Cetane Boost Diesel Fuel Additive

Improves combustion efficiency to increase power in diesel engines. Raises Cetane 3 to 7 numbers. Also improves low-temperature starting, fuel ignition quality and reliability. Treats up to 200 gallons.

Diesel Fuel Additive Concentrate

All-season performance. Lowers diesel fuel gel point by 20° to 35°F, depending on mix ratio. Improves the performance, fuel efficiency and longevity of diesel engines while reducing deposits, black smoke, emissions and injector wear. For use in heavy-duty diesel engines. Treats up to 100 gallons.

Diesel Fuel Modifier

Improves combustion, fuel efficiency, cold-weather starting, power and performance. Cleans injectors, fuel screens, pumps and filters. For use in cars and light-duty trucks. Treats up to 40 gallons.

Series 2000 Octane Boost

AMSOIL Series 2000 Octane Boost improves the performance of all two-cycle and four-cycle gasoline fueled engines. AMSOIL Octane Boost maximizes power, reduces engine knock and improves ignition and engine response. Helps fuel burn cleaner, removes carbon deposits and inhibits corrosion. Excellent as a lead substitute at same treat rates in collector automobiles, older off-road equipment and pleasure vehicles.

Series 2000 Synthetic Chain Case Lubricant

Provides superior protection and performance for enclosed chains. Ideal for snowmobiles, ATVs and general equipment. Extreme Pressure additives provide extra wear protection. Extends chain life, repels water and inhibits rust, oxidation and foam. Superior low-temperature starting, performance and protection.

Synthetic Compressor Oil

Unique synthetic-based fluids are formulated to provide maximum protection in demanding compressor applications. Reduces operating temperatures for longer compressor life and more efficient output.

- Synthetic Compressor Oil** • ISO 32 • SAE 10
- Synthetic Compressor Oil** • ISO 46 • SAE 20
- Synthetic Compressor Oil** • ISO 68 • SAE 30
- Synthetic Compressor Oil** • ISO 100 • SAE 40
- Synthetic Compressor Oil** • ISO 150 • SAE 50
- SIROCCO™ Synthetic Compressor Oil** • ISO 32/46 • SAE 5W-20

Synthetic Powershift Transmission Fluid

Specifically formulated for heavy-duty Caterpillar powershift transmissions. Offers unmatched transmission friction performance, smooth brake operation, reduced rate of gear and bearing wear, increased equipment life and extended lubricant drain intervals. Offers Fuller CD-50 performance and is ideal for use in Fuller, Rockwell, Spicer, Fabco, Warner manual transmissions and Caterpillar powershift automatic transmissions.

Synthetic Hydraulic Oil

Protects hard-working hydraulic systems from the stress of high-pressure, high-load and heavy duty operations. Remains fluid in cold temperatures for immediate cold-weather flow. Special anti-wear additives and rust inhibitors provide optimum protection to expensive equipment.

- Synthetic Hydraulic Oil** • ISO 22
- Synthetic Hydraulic Oil** • ISO 32
- Synthetic Hydraulic Oil** • ISO 46
- Synthetic Hydraulic Oil** • ISO 68
- Synthetic Hydraulic Oil** • ISO 100
- Synthetic Tractor/Hydraulic Transmission Oil** • ISO 46 • SAE 30



BriteSide™ Miracle Wash Aerosol Spray

A unique dry car wash and polish delivers outstanding performance and quick, easy and economical applications. No water required.

Simply apply Miracle Wash using the aerosol spray can, work around with a towel and let the surface dry to a haze. Buff with a clean towel until the haze is removed and wipe away to leave your car with a fantastic shine and a super tough protective finish.

Specially formulated surfactants lift dirt and other particles from the surface of your car and hold them in suspension.

Miracle Wash then acts as a shield, protecting the surface from abrasion while you wipe the dirt clean. Repels dust and light dirt particles and protects against the sun's ultraviolet rays.

BriteSide™ T6 Cleaning Concentrate

Super concentrated cleaning product tackles the toughest cleaning jobs, yet when diluted with water, is safe and effective on virtually every surface or material.

BriteSide™ Heavy Duty SCRUB Hand Cleaner

Formulated for the toughest cleaning jobs, BriteSide™ Heavy Duty SCRUB Hand Cleaner dissolves and assimilates oils and greases on hands with little or no rubbing action. Contains no abrasive pumice. May be used with or without water.



Pro-Formula Vinyl & Leather Cleaner

Penetrates deeply into vinyl and leather to lift out imbedded dirt. No need for heavy scrubbing. Simply spray on, allow a minute or two to penetrate and loosen dirt particles, then wipe off with a damp cloth or sponge. Prepares fabric for conditioning with Pro-Formula Vinyl & Leather Protectant.

Pro-Formula Vinyl & Leather Protectant

Seals and protects vinyl, rubber, plastic and finished wood surfaces. Protects against fading, cracking, drying, deterioration and oxidation caused by exposure by the sun. Provides long-lasting protection.

Pro-Formula Metal Polish

Cleans, polishes and protects chrome, aluminum, brass and stainless steel surfaces. Forms a protective layer and inhibits future rust and oxidation. Gives a superior shine to any metal surface.

Pro-Formula Car Polish

AMSOIL Pro-Formula Car Polish goes on easy and produces a brilliant mirror-like shine with only light hand buffing. It restores brilliant color and deep luster to faded paint and maintains a showroom finish on newer cars. It forms a tough, protective barrier against the elements. Provides UV protection to keep paint from fading. Safe for all types of paint, including clearcoat.

Rain Clear Windshield Protectant

Maximize visibility in all kinds of weather. Rain, snow and sleet is repelled off glass. Wind action of driving forces moisture off the windshield, giving a clear view of the road ahead. Rain Clear also makes scraping frost from windows a lot easier.



Silicone Spray

Perfect for lubricating non-metal surfaces that contact with metal, nylon, cardboard, fiberglass, wood or plastic surfaces. Special non-staining formula. USDA H-1 rated.

MP Metal Protector

Disperses water and protects metal surfaces from rust and corrosion. Penetrates existing rust build-up. Also dries wet electrical systems. A must for any home or shop. Keep a can in your vehicle, too.

Heavy Duty Metal Protector

A heavy duty spray lubricant fortified with special rust and corrosion inhibitors. It penetrates and adheres to metal surfaces, leaving a long lasting protective coating. Ideal for motorcycle, bicycle and ATV chains.

Engine Flush

Cleans the crankcase, upper end and other lubricated areas for maximum efficiency and performance. Preps engines for installation of AMSOIL Synthetic Motor Oil. Flushing requires one can per vehicle. (4 to 6 qt. oil capacity)

Synthetic Grease

Superior protection for wheel bearings and other components operating in high-temperature/high-speed, high-load/low-speed, or water immersion conditions. Spray formulation ideal for greasing hard-to-reach equipment. Synthetic Fifth Wheel and Open Gear Compound stays in place and protects over a broad temperature range without flaking in low temperatures or softening in high temperatures.

- Series 2000 Synthetic Racing Grease** • N.L.G.I. #2, EP, GC/LB
- Synthetic Multi-Purpose Grease** • N.L.G.I. #0, #1 and #2, EP, GC/LB
- Synthetic Multi-Purpose Spray Grease** • N.L.G.I. #2, EP, GC/LB
- Synthetic Heavy-Duty Grease** • N.L.G.I. #1 and #2, EP, GC/LB
- Synthetic Water Resistant Grease** • N.L.G.I. #2, EP, GC/LB
- Synthetic X-Treme Food Grade Grease** • (USDA H-1) N.L.G.I. #2
- Synthetic Fifth Wheel and Open Gear Compound** • AGMA 14R
- Synthetic Lithium Complex Spy Grease** • N.L.G.I. #00, EP

Marine Lower Unit Gear Lube

Provides outstanding protection to outboard and stern-drive lower units in freshwater or saltwater applications.

Power Foam

Improves starting and performance. Cleans dirty intake systems and spark plugs, frees sticky valves. Also removes gum, varnish and carbon deposits from engine exterior surfaces.

Gasoline Stabilizer

AMSOIL Gasoline Stabilizer keeps fuel from deteriorating during storage. AMSOIL Gasoline Stabilizer reduces the oxidation process and prevents varnish and gum build-up in gasoline. These contaminants can clog injectors, stick floats and cause poor engine performance.

Semi-Synthetic Bar & Chain Oil

Clings to metal surfaces better than other oils. Delivers unparalleled lubrication and protection. Ideal for chainsaws and bicycle chains.

Home Heating Fuel Extender

Improves combustion efficiency. Cleans soot deposits for improved heat transfer. Reduces smoke output. Keeps nozzle clean and operating at peak efficiency. Cleans from the tank to the burner for dependable operation.

Propylene Glycol Antifreeze and Engine Coolant

Essentially non-toxic and biodegradable. Provides superior performance in all climates. Contains special corrosion inhibitors and anti-foam agents.

Bosch Products

AMSOIL offers top-of-the-line Bosch windshield wipers, spark plugs and spark plug wires, meeting virtually every automotive application.

Bosch Micro Edge Excel Wipers

Offer unsurpassed performance and moisture removal in all types of climates and driving speeds.

Bosch Platinum+4 Spark Plugs

Provide longer, more powerful sparks, longer service life and more efficient combustion than conventional spark plugs.

Bosch Spark Plug Wire Sets

Deliver maximum voltage to the engine's spark plugs for hotter, more powerful and longer sparks.



Promotional Items



NAVY POLO SHIRT WITH POCKET

The AMSOIL navy polo shirt features 100% combed cotton pique with convenient left chest pocket. Navy polo collar, ribbed cuffs and embroidered AMSOIL logo complete this upscale shirt. Sizes S-XXL.

SHORT SLEEVE JERSEY

Large AMSOIL Racing logo dominates the front of this exciting navy moisture-wicking mesh jersey. Features dye sublimated graphics to resist fading. Sizes S-XXL.



Front

FULL SPEED T-SHIRT

This electrifying new AMSOIL Full Speed T-Shirt is sure to be a track favorite. Features AMSOIL logo on the front, while back boasts AMSOIL logo with tachometer image. Durable 100 percent ultra cotton. Sizes S-XXL.

LONG SLEEVE RACING T-SHIRT

The black AMSOIL long sleeve racing T-shirt features sharp AMSOIL racing logos on the front and back and "AMSOIL Racing" on the sleeves. Features 50 percent cotton and 50 percent polyester for longer wear and less fading. Sizes S-XXXL.

Team AMSOIL Racer
Chris Gosselaar



Back



AMSOIL RACING AND TEAM AMSOIL RACING DECALS

Full color AMSOIL race decals leave a definite impression wherever you decide to display them. Various sizes available from 4" to 48".



DECALS

Various sizes available from 4" to 48".



BLACK RACE CAP

Black six-panel cap features embroidered AMSOIL Racing logo, velcro closure and newly designed brim.



TEAM AMSOIL RACING CAP

Six-panel red cap features embroidered Team AMSOIL Racing logo, velcro closure and stylish red, white and blue AMSOIL visor.



ALL OCCASION CAP

Stone-colored six-panel structured cotton twill cap features large embroidered AMSOIL logo, red and royal sandwich peak and velcro closure.



BALL POINT PENS

Featuring the signature of AMSOIL CEO & President A.J. Amatuzio.



STAINLESS STEEL MUG

Fourteen oz. AMSOIL Stainless Steel Mug is thermally insulated for hot or cold beverages. Features translucent blue acrylic outer shell, stainless steel inner shell and spill proof lid.

CAN/POCKET COOLIE


The AMSOIL Can/Pocket Coolie features the Blackhawk/Rinker/AMSOIL Formula One race boat. Keeps beverages cold and refreshing. Constructed of high-quality neoprene. Folds flat to fit in pocket.



A.J. AMATUZIO SIGNATURE SERIES RACE JACKET

Features large embroidered AMSOIL logos, products and major racing sponsorships. 14.5 oz. brushed twill, satin lining, knit cuff and waistband, shoulder pads, racing collar and stainless steel snaps. Large, generous fit. Sizes Extra Small-XXXL, Youth Large.

Back



We Couldn't Put It on Our Label if It Wasn't True.



The smaller the wear scar, the better the protection.

AMSOIL...

Up to Twice the Wear Protection!



AMSOIL products and Dealership information are available from your local AMSOIL Dealer.

